

## UL - 6 VOLTIOS

Battery Model	Nominal Voltage (V)	Capacity 20 Hours	Capacity 10 Hours	Dimensions (mm)				Weight (kg)	Terminal Type	Design Life (Years)
				Length	Width	Height	Total Height			
UL0.5-6	6	0.50	0.47	57.00	14.00	50.00	52.00	0.10		5
UL1-6	6	1.00	0.93	51.00	42.00	51.00	57.00	0.25	F1	5
UL1.3-6	6	1.30	1.20	97.00	24.00	51.50	57.50	0.29	F1	5
UL2.0-6	6	2.00	1.86	43.00	37.00	76.00	76.00	0.34		5
UL2.8-6T	6	2.80	2.60	66.00	33.00	97.00	103.00	0.57	F1	5
UL2.8-6L	6	2.80	2.60	134.00	34.00	61.00	66.00	0.57	F1	5
UL3.4-6	6	3.40	2.98	134.00	34.00	60.00	66.00	0.65	F1	5
UL4-6	6	4.00	3.72	70.00	47.00	100.00	106.00	0.71	F1	5
UL4.5-6	6	4.50	4.19	70.00	47.00	101.00	106.00	0.75	F1	5
UL5-6	6	5.00	4.65	70.00	47.00	101.00	106.00	0.81	F1	5
UL5.4-6	6	5.40	5.02	70.00	47.00	101.00	106.00	0.85	F1	5
UL6-6	6	6.00	5.58	70.00	47.00	100.00	106.00	0.93	F1/F2	5
UL7-6	6	7.00	6.51	151.00	34.00	94.00	100.00	1.10	F1/F2	5
UL7.2-6	6	7.20	6.70	151.00	34.00	94.00	100.00	1.20	F1/F2	5
UL7.5-6	6	7.50	6.98	151.00	34.00	94.00	100.00	1.26	F1/F2	5
UL8.5-6	6	8.50	7.91	151.00	34.00	94.00	100.00	1.20	F1/F2	5
UL8.5-6T	6	8.50	7.91	98.00	56.00	118.00	120.00	1.52	F1/F2	5
UL10-6	6	10.00	9.30	151.00	51.00	94.00	100.00	1.50	F1/F2	5
UL12-6	6	12.00	11.16	151.00	51.00	94.00	100.00	1.62	F1/F2	5
UL14-6	6	14.00	13.02	151.00	51.00	94.00	100.00	2.05	F1/F2	5
UL20-6	6	20.00	18.60	157.00	83.00	125.00	125.00	3.21	F3	5
UL36-6	6	36.00	33.48	161.00	87.00	163.00	169.00	5.50	F2/F3	5
UL60-6	6	62.00	60.00	185.00	112.00	205.00	205.00	9.10	F2/F3	5
UL100-6	6	104.00	100.00	195.00	170.00	206.50	212.50	15.60	F6	10
UL120-6	6	-	120.00	260.00	180.00	245.00	250.00	18.50	F6	10
UL150-6	6	156.00	150.00	260.00	180.00	247.00	253.00	21.20	F7	10
UL200-6	6	208.00	200.00	306.00	168.00	222.00	228.00	28.20	F7	5




## UL - 12 VOLTIOS

Battery Model	Nominal Voltage (V)	Capacity 20 Hours	Capacity 10 Hours	Dimensions (mm)				Weight (kg)	Terminal Type	Design Life (Years)
				Length	Width	Height	Total Height			
UL0.8-12	12	0.80	0.74	96.00	25.00	62.00	62.00	0.30	AMP/JST	5
UL1.3-12	12	1.30	1.20	97.00	43.00	52.00	58.00	0.57	F1	5
UL1.9-12	12	1.90	1.77	178.00	35.00	60.00	66.00	0.80	F1	5
UL2.2-12	12	2.20	2.05	70.00	48.00	98.00	104.00	0.80	F1	5
UL2.4-12	12	2.40	2.23	178.00	35.00	60.00	66.00	0.89	F1	5
UL2.6-12	12	2.60	1.77	178.00	35.00	60.00	66.00	0.96	F1	5
UL2.8-12	12	2.80	2.60	132.00	33.00	98.00	104.00	1.15	F1	5
UL2.9-12	12	2.90	2.70	79.00	56.00	99.00	105.00	1.10	F1	5
UL3.4-12	12	3.40	3.16	134.00	67.00	60.50	66.50	1.35	F1	5
UL4-12	12	4.00	3.72	90.00	70.00	101.00	107.00	1.40	F1	5
UL4-12L	12	4.00	3.72	195.00	47.00	70.00	76.00	1.60	F1	5
UL4.5-12	12	4.50	4.19	90.00	70.00	101.00	107.00	1.45	F1/F2	5
UL5-12	12	5.00	4.65	90.00	70.00	101.00	107.00	1.62	F1	5
UL5-12L	12	5.00	4.65	151.00	53.00	93.00	99.00	1.75	F1/F2	5
UL5.4-12	12	5.40	5.02	90.00	70.00	101.00	107.00	1.68	F1	5
UL7-12	12	7.00	6.53	151.00	65.00	93.50	99.00	2.05	F1/F2	5
UL7.2-12	12	7.20	6.72	151.00	65.00	93.50	99.00	2.15	F1/F2	5
UL7.5-12	12	7.50	6.98	151.00	65.00	93.50	99.00	2.30	F1/F2	5
UL9-12	12	9.00	8.37	151.00	65.00	93.50	99.00	2.45	F2/F1	5
UL10-12	12	10.00	9.30	151.00	65.00	111.00	117.00	2.90	F1/F2	5
UL12-12	12	12.00	11.20	151.00	98.00	95.00	101.00	3.60	F1/F2	5
UL14-12	12	14.00	13.00	151.00	98.00	95.00	101.00	3.90	F1/F2	5
UL15-12	12	15.00	14.00	181.50	77.00	167.50	167.50	4.56	F3	5
UL18-12	12	18.00	16.70	181.50	77.00	167.50	167.50	5.32	F3	5
UL20-12	12	20.00	18.60	181.50	77.00	167.50	167.50	5.70	F3/F12	5
UL22-12	12	22.00	20.46	181.00	77.00	167.50	167.50	6.00	F3/F12	5
UL24-12	12	24.00	22.30	166.50	175.00	125.00	125.00	7.20	F3/F12	5
UL26-12	12	26.00	24.20	166.50	175.00	125.00	125.00	8.00	F3/F12	5
UL28-12	12	28.00	26.00	166.50	175.00	125.00	125.00	8.40	F3/F12	5

# Ultracell®

'Quality in Every Language'



**ACL Baterías**  
Calidad Positiva

## UL - 12 VOLTIOS

Battery Model	Nominal Voltage (V)	Capacity 20 Hours	Capacity 10 Hours	Dimensions (mm)				Weight (kg)	Terminal Type	Design Life (Years)
				Length	Width	Height	Total Height			
UL28-12	12	28.00	26.00	166.50	175.00	125.00	125.00	8.40	F3/F12	5
UL28-12T	12	28.00	26.00	165.00	125.00	175.00	175.00	9.50	F3/F12	5
UL30-12	12	30.00	27.90	166.50	175.00	125.00	125.00	8.80	F3	10
UL30-12T	12	30.00	27.90	195.00	130.00	164.00	178.00	9.70	F5/F6	10
UL33-12	12	33.00	30.70	195.00	130.00	164.00	180.00	10.50	F5	10
UL35-12	12	35.00	32.60	195.00	130.00	164.00	178.00	11.20	F5/F6	10
UL38-12	12	38.00	35.34	197.00	165.00	170.00	170.00	12.20	F10/F6	10
UL40-12	12	40.00	38.50	197.00	165.00	170.00	170.00	13.00	F10/F6	10
UL45-12	12	46.80	45.00	197.00	165.00	170.00	170.00	14.20	F10/F12	10
UL50-12	12	52.00	50.00	257.00	132.00	200.00	200.00	16.00	F6/F16	10
UL55-12	12	57.20	55.00	229.00	138.00	205.00	226.00	17.00	F9 / F6	10
UL60-12	12	62.40	60.00	259.00	168.00	208.00	214.00	18.50	F6 / F9	10
UL65-12	12	65.00	62.10	348.00	167.00	178.00	178.00	19.20	F10/F6	10
UL70-12	12	72.80	70.00	348.00	167.00	178.00	178.00	21.60	F6/F10	10
UL75-12	12	78.00	75.00	259.00	168.00	208.00	214.00	22.30	F9/F6	10
UL80-12	12	83.20	80.00	259.00	168.00	208.00	214.00	24.00	F6	10
UL85-12	12	-	85.00	306.50	168.50	210.00	235.00	26.00	F12/F15	10
UL90-12	12	93.60	90.00	330.00	173.00	212.00	220.00	28.00	F11	10
UL100-12	12	104.00	100.00	330.00	173.00	212.00	220.00	30.40	F11/F10	10
UL120-12	12	124.80	120.00	410.00	177.00	225.00	225.00	35.00	F11	10
UL135-12	12	140.40	135.00	345.00	172.00	274.00	280.00	41.20	F11	10
UL150-12	12	156.00	150.00	485.00	170.00	240.00	240.00	43.50	F11	10
UL180-12	12	187.20	180.00	530.00	209.00	214.00	220.00	52.80	F11	10
UL200-12	12	208.00	200.00	522.00	240.00	218.00	224.00	61.00	F11	10
UL250-12	12	260.00	250.00	522.00	268.00	220.00	226.00	73.00	F11	10



Dirección: C/Boltaña nº28, 22300 Barbastro (Huesca)

Teléfono: 974 60 9001 / 678 432 503

e-mail: info@aclbaterias.es - www.aclbaterias.es

## UCG - DEEP CYCLE GEL - 12 VOLTIOS

Battery Model	Nominal Voltage (V)	Capacity 20 Hours	Capacity 10 Hours	Dimensions (mm)				Weight (kg)	Terminal Type	Design Life (Years)
				Length	Width	Height	Total Height			
UCG12-12	12	13.20	12.00	151.00	98.00	95.00	101.00	4.00	F1/F2	12
UCG18-12	12	18.70	18.00	181.50	77.00	168.00	168.00	6.05	F3	12
UCG20-12	12	20.80	20.00	181.50	77.00	168.00	168.00	6.10	F3/F12	12
UCG22-12	12	22.85	22.00	181.50	77.00	168.00	168.00	6.20	F3	12
UCG24-12	12	24.90	24.00	166.00	175.00	125.00	125.00	8.40	F12	12
UCG26-12	12	27.00	26.00	166.00	175.00	125.00	125.00	8.90	F12	12
UCG27-12	12	28.00	27.00	195.00	130.00	164.00	180.00	9.00	F5/F6	12
UCG28-12	12	29.00	28.00	165.00	125.00	175.00	175.00	9.20	F3	12
UCG35-12	12	36.40	35.00	195.00	130.00	159.00	180.00	11.20	F5/F6	12
UCG40-12	12	41.60	40.00	197.00	165.00	170.00	170.00	14.20	F6	15
UCG45-12	12	46.80	45.00	197.00	165.00	170.00	170.00	15.50	F6	15
UCG50-12	12	52.00	50.00	229.00	138.00	205.00	211.00	16.60	F6	15
UCG55-12	12	57.20	55.00	229.00	138.00	209.00	228.00	17.00	F9	15
UCG60-12L	12	62.40	60.00	325.00	167.00	174.00	174.00	19.20	F6	15
UCG65-12	12	67.60	65.00	348.00	167.00	178.00	178.00	21.00	F6	15
UCG65-12S	12	67.60	65.00	259.00	168.00	208.00	214.00	21.00	F6	15
UCG75-12	12	80.40	75.00	259.00	168.00	208.00	214.00	22.30	F6/F14	15
UCG85-12	12	88.40	85.00	306.00	128.00	208.00	214.00	26.70	F6	15

